Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
15	13188	electronic and (warfare or countermeasure or counter-measure or (counter adj measure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 14:37
L6	5508321	(aoa or (angle adj3 arrival) or direction or directional or azimuth or azimuthal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 14:38
L7	373238	vector or vectorially	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 14:38
L8	337948	calibrate or calibrated or calibrating or calibration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 14:39
19	328718	pre-calibrate or pre-calibrated or pre-calibrating or pre-calibration or precalibrate or precalibrated or precalibrating or precalibration or (pre adj calibrate or calibrated or calibrating or calibration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 14:39
L10	338829	8 or 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 14:39
L11	7738	5 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 14:40
L12	1110	10 and 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 14:41

L13	484	7 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 14:41
L14	251794	aircraft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 14:41
L15	155	13 and 14	US-PGPUB;. USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 14:41
L16	145	15 and @ad<="20040402"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 14:56
L17	462	342/173	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 14:51
L18	736	342/174	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 14:51
L19	4638	((342/173) or (342/174) or (342/13) or (342/56) or (342/98) or (342/113) or (342/147) or (342/156) or (342/157) or (342/158) or (342/189) or (342/195) or (342/357.08) or (342/357.09) or (342/417) or (342/418)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/15 14:55
L20	3047	19 and @ad<="20040402"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 15:36

L21	1	("5430445").PN. OR ("6727851"). URPN.	US-PGPUB; USPAT;	OR	ON	2005/06/15 15:41
			USOCR			

SEARCH NOTES FOR EAST AND IEEE AND INSPEC AND IP.COM

SERIAL NUMBER

10816352

EAST SEARCH

EAST: search history attached

Search terms:

electronic and (warfare or countermeasure or counter-measure or (counter adj measure))

(aoa or (angle adj3 arrival) or direction or directional or azimuth or azimuthal)

vector or vectorially

calibrate or calibrated or calibrating or calibration

pre-calibrate or pre-calibrated or pre-calibrating or pre-calibration or precalibrate or precalibrated or precalibrating or precalibration or (pre adj calibrate or calibrated or calibrating or calibration)

IEEE SEARCH

Search terms:

electronic and (warfare or countermeasure or counter-measure) and (aoa or direction or directional or azimuth or azimuthal) and (calibrate or calibrated or calibrating or calibration)

 Direction of arrival estimation via extended phase interferometry Ying-Wah Wu; Rhodes, S.; Satorius, E.H. Aerospace and Electronic Systems, IEEE Transactions on Volume 31, Issue 1, Jan 1995 Page(s):375 - 381

 Maximum likelihood methods in radar array signal processing Swindlehurst, A.L.; Stoica, P. Proceedings of the IEEE Volume 86, Issue 2, Feb 1998 Page(s):421 - 441

- 3. Receiver array calibration using disparate sources
 - Solomon, I.S.D.; Gray, D.A.; Abramovich, Y.I.; Anderson, S.J. Antennas and Propagation, IEEE Transactions on Volume 47, Issue 3, Mar 1999 Page(s):496 505
- 4. Calibrated single-plunge bipolar electrode array for mapping myocardial vector fields in three dimensions during high-voltage transthoracic defibrillation

Deale, O.C.; Ng, K.T.; Kim-Van Housen, E.J.; Lerman, B.B. Biomedical Engineering, IEEE Transactions on Volume 48, Issue 8, Aug 2001 Page(s):898 - 910

INSPEC SEARCH

Search terms:

Search strategy
No. Database Search term Info added since Results
1 INZZ
electronic AND (warfare OR countermeasure OR countermeasure) AND (aoa OR direction OR directional OR azimuth OR azimuthal) AND (calibrate OR calibrated OR calibrating OR calibration) unrestricted 5
Saved: 15-Jun-2005, 21:08:35 CET
2

INSPEC - 1969 to date (INZZ)

Superresolution precision direction-finding techniques and measurements.

Author(s)

Levitt-H-L; Alexander-E-M; Tse-A-Y; Spezio-A-E.

Source

Transition of Optical Processors into Systems 1995, Orlando, FL, USA, 18 April 1995.

Sponsors: SPIE.

In: Proceedings-of-the-SPIE-The-International-Society-for-Optical-Engineering (USA), vol.2489,

p.95-106, 1995.

COPYRIGHT BY Inst. of Electrical Engineers, Stevenage, UK

Direction of arrival estimation via extended phase interferometry.

Author(s)

Ying-Wah-Wu; Rhodes-S; Satorius-E-H.

Source

IEEE-Transactions-on-Aerospace-and-Electronic-Systems (USA), vol.31, no.1, p.375-81, Jan. 1995.

COPYRIGHT BY Inst. of Electrical Engineers, Stevenage, UK Specification, calibration and testing of phase interferometers. Author(s)

Horner-D-W.

Source

Microwave-Journal (USA), vol.31, no.2, p.139-40, 142, 146-51, 154-5, Feb. 1988.

Translation in: A06.

COPYRIGHT BY Inst. of Electrical Engineers, Stevenage, UK

1

IP.COM SEARCH

Search terms:

No records matched your search.

Perhaps you should try a less restrictive query.

Search query: (countermeasure or counter-measure) and (calibrate or calibrated or calibrating or calibration)

